

# Dialek.by

*ƉœƉ°Ɖ³Ɖ°Ɖ·Ɖ, Ɖ½*

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ƉžŃˆƉ, Ɖ±Ɖ°Ɖ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐžŃˆĐ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

ĐčĐμŃ€Đ¼Đ¾Đ¼ĐμŃ,Ń€Ń€



**A&D ĐčĐμŃ€Đ¼Đ¾Đ¼ĐμŃ,Ń€ AND DT-625  
470.00 Đ ŃfĐ±.**

[\[ĐŸĐ¾ĐˆŃ€Đ¾Đ½ĐμĐμ...\]](#)



**B. Well ĐčĐμŃ€Đ¼Đ¾Đ¼ĐμŃ,Ń€Ń€ ĐčĐμŃ€Đ¼Đ¾Đ¼ĐμŃ,Ń€ WF 2000  
Đ±ĐμŃ•Đ°Đ¾Đ½Ń,Đ°Đ°Ń,Đ½Ń€Đ¹, Đ,Đ½Ń,,Ń€Đ°Đ°Ń€Đ°Ń•Đ½Ń€Đ¹  
1 260.00 Đ ŃfĐ±.**

[\[ĐŸĐ¾ĐˆŃ€Đ¾Đ½ĐμĐμ...\]](#)



**BEURER FT55  
1 300.00 Đ ŃfĐ±.**

[\[ĐŸĐ¾ĐˆŃ€Đ¾Đ½ĐμĐμ...\]](#)



**BEURER FT60**  
 1 350.00 € ĞŃfĐ±.

[\[ĐŸĐ¼ĐŃ€Đ¼Đ±Đ½ĐμĐμ...\]](#)



**Beurer, Đ“ĐμŃ€Đ¼Đ°Đ½ĐŃ• ĐçĐμŃ€Đ¼Đ¼Đ¼ĐμŃ,Ń€ ŃfŃ~Đ½Đ¼Đ¹  
 FT 55**  
 1 250.00 € ĞŃfĐ±.

[\[ĐŸĐ¼ĐŃ€Đ¼Đ±Đ½ĐμĐμ...\]](#)



**CENTER 340 - Đ¼Đ°Đ»Đ¼Đ³Đ°Đ±Đ°Ń€ĐŃ,Đ½Ń•Đ¹  
 Ń,ĐμŃ€Đ¼Đ¼Ń€ĐμĐ³ĐŃ•Ń,Ń€Đ°Ń,Đ¼Ń€**  
 4 958.00 € ĞŃfĐ±.

[\[ĐŸĐ¼ĐŃ€Đ¼Đ±Đ½ĐμĐμ...\]](#)



**Extech Đ”Đ²Đ¼Đ¹Đ½Đ¼Đ¹ Ń•Ń,ĐμŃ€ĐŃĐ½ĐμĐ²Đ¼Đ¹  
 Đ¼Ń€Đ¼Đ½ĐŃĐ°ĐŃŃŃ‰Đ,Đ¹ Ń,ĐμŃ€Đ¼Đ¼Đ¼ĐμŃ,Ń€**  
 1 039.00 € ĞŃfĐ±.

[\[ĐŸĐ¼ĐŃ€Đ¼Đ±Đ½ĐμĐμ...\]](#)



Exttech Ɔ"Ɔ²Ɔ³⁄₄Ɔ¹Ɔ½Ɔ³⁄₄Ɔ¹ Ñ•Ñ,ƆµÑƆƆƆƆ¹⁄₂ƆµƆ²Ɔ³⁄₄Ɔ¹  
 Ñ,ƆµÑƆƆ¹⁄₄Ɔ³⁄₄Ɔ¹⁄₄ƆµÑ,ÑƆ Ñ• Ɔ¿Ɔ»Ɔ³⁄₄Ñ•Ɔ°Ɔ,Ɔ¹⁄₄  
 Ɔ¹⁄₂Ɔ°Ɔ°Ɔ³⁄₄Ɔ¹⁄₂ƆµÑ±Ɔ¹⁄₂Ɔ,Ɔ°Ɔ³⁄₄Ɔ¹⁄₄  
 1 039.00 Ɔ ÑfƆ±.

[ƆŸƆ³⁄₄Ɔ ÑƆƆ³⁄₄Ɔ±Ɔ½ƆµƆµ...]



Exttech Ɔ~Ɔ¹⁄₂Ñ,,ÑƆƆ°ƆÑƆƆ°Ñ•Ɔ½Ñ•Ɔ¹ Ñ,ƆµÑƆƆ¹⁄₄Ɔ³⁄₄Ɔ¹⁄₄ƆµÑ,ÑƆ Ɔ½Ɔ°  
 320 Ɔj, 6:1  
 3 326.00 Ɔ ÑfƆ±.

[ƆŸƆ³⁄₄Ɔ ÑƆƆ³⁄₄Ɔ±Ɔ½ƆµƆµ...]



MAMAN Ɔ~Ɔ¹⁄₂Ñ,,ÑƆƆ°ƆÑƆƆ°Ñ•Ɔ½Ñ•Ɔ¹ Ñ,ƆµÑƆƆ¹⁄₄Ɔ³⁄₄Ɔ¹⁄₄ƆµÑ,ÑƆ  
 990.00 Ɔ ÑfƆ±.

[ƆŸƆ³⁄₄Ɔ ÑƆƆ³⁄₄Ɔ±Ɔ½ƆµƆµ...]



Maman Ɔ~Ɔ¹⁄₂Ñ,,ÑƆƆ°ƆÑƆƆ°Ñ•Ɔ½Ñ•Ɔ¹ Ñ,ƆµÑƆƆ¹⁄₄Ɔ³⁄₄Ɔ¹⁄₄ƆµÑ,ÑƆ Maman  
 1 229.00 Ɔ ÑfƆ±.

[ƆŸƆ³⁄₄Ɔ ÑƆƆ³⁄₄Ɔ±Ɔ½ƆµƆµ...]



Maman Ɔ'Ɔ½Ń,,Ń€Ɔ°Ɔ°Ń€Ɔ°Ń•Ɔ½ŃƆƆ' Ń,ƆµŃ€Ɔ¼Ɔ¾Ɔ¼ƆµŃ,Ń€ SB2800  
1 100.00 Ɔ ŃfƆ±.

[ƆŸƆ¾Ɔ'Ń€Ɔ¾Ɔ±Ɔ½ƆµƆµ...]



Maman ƆƆƆµŃ€Ɔ¼Ɔ¾Ɔ¼ƆµŃ,Ń€ Ɔ,Ɔ½Ń,,Ń€Ɔ°Ɔ°Ń€Ɔ°Ń•Ɔ½ŃƆƆ' 4 Ɔ² 1  
980.00 Ɔ ŃfƆ±.

[ƆŸƆ¾Ɔ'Ń€Ɔ¾Ɔ±Ɔ½ƆµƆµ...]



MAMAN ƆƆƆµŃ€Ɔ¼Ɔ¾Ɔ¼ƆµŃ,Ń€-Ɔ¿ŃfŃ•Ń,ŃŃŃ°Ɔ°  
260.00 Ɔ ŃfƆ±.

[ƆŸƆ¾Ɔ'Ń€Ɔ¾Ɔ±Ɔ½ƆµƆµ...]



RST Ɔ'ƆµƆ-Ɔ¼ƆµƆ½ Ń•Ɔ»ƆµƆ°Ń,Ń€Ɔ¾Ɔ½Ɔ½ŃƆƆ' 08065  
Ɔ'ƆµƆ-Ɔ¼ƆµƆ½ Ń•Ɔ»ƆµƆ°Ń,Ń€Ɔ¾Ɔ½Ɔ½ŃƆƆ' (Ɔ'Ɔ¾ 10 Ɔ°Ɔ³)  
1 500.00 Ɔ ŃfƆ±.

[ƆŸƆ¾Ɔ'Ń€Ɔ¾Ɔ±Ɔ½ƆµƆµ...]



RST Ժ՛ԺմԺ-Ժ՛¼ԺմԺ½ Ն•Ժ»ԺմԺ՞Ն,ՆԵԺ¾Ժ՛½Ժ՛½ՆԻԺ՛ 08075  
 Ժ՛ԺմԺ-Ժ՛¼ԺմԺ½ Ն•Ժ»ԺմԺ՞Ն,ՆԵԺ¾Ժ՛½Ժ՛½ՆԻԺ՛ (Ժ՛Ժ¾ 20Ժ՞Ժ³)  
 1 750.00 Ժ ՆfԺ±.

[\[Ժ՚Ժ¾Ժ՛ՆԵԺ¾Ժ՛½ԺմԺմ...\]](#)



**SANITAS SFT22**  
 1 120.00 Ժ ՆfԺ±.

[\[Ժ՚Ժ¾Ժ՛ՆԵԺ¾Ժ՛½ԺմԺմ...\]](#)



**SANITAS SFT41**  
 1 180.00 Ժ ՆfԺ±.

[\[Ժ՚Ժ¾Ժ՛ՆԵԺ¾Ժ՛½ԺմԺմ...\]](#)



Ժ՛ԺմՆ•ՆԻ Ժ՛Ժ,Ժ՞Ժ³Ժ՛½Ժ՛¾Ն•Ն,Ժ,Ն‡ԺմՆ•Ժ՞Ժ,Ժմ BEURER BG22  
 2 500.00 Ժ ՆfԺ±.

[\[Ժ՚Ժ¾Ժ՛ՆԵԺ¾Ժ՛½ԺմԺմ...\]](#)



Ժ՛ԺմՆ•ՆԻ Ժ՛Ժ,Ժ՞Ժ³Ժ՛½Ժ՛¾Ն•Ն,Ժ,Ն‡ԺմՆ•Ժ՞Ժ,Ժմ BEURER BG34  
 2 950.00 Ժ ՆfԺ±.

[\[Ժ՚Ժ¾Ժ՛ՆԵԺ¾Ժ՛½ԺմԺմ...\]](#)



Տոնաչափի մոդել՝ MOMERT 5849  
 2 400.00 Զ Դրամ.

[\[Տեսնել նախնական պատկերը...\]](#)



Գրգռվածությունը չափող միջին ճշգրտությամբ Microlife  
 (ճշգրտությունը՝ 3 մմ Ջ.Մ.) ճշգրտությամբ ճշգրտությամբ MT 1751  
 320.00 Զ Դրամ.

[\[Տեսնել նախնական պատկերը...\]](#)



Ճշգրտությամբ ճշգրտությամբ ճշգրտությամբ մոդել՝ FDIR-V1  
 995.00 Զ Դրամ.

[\[Տեսնել նախնական պատկերը...\]](#)



Ճշգրտությամբ ճշգրտությամբ ճշգրտությամբ մոդել՝ BEURER FT55 (ft-55)  
 1 300.00 Զ Դրամ.

[\[Տեսնել նախնական պատկերը...\]](#)







Đ·Đ<sup>3</sup>/<sub>4</sub>Đ±Đ<sup>1</sup>/<sub>2</sub>Ñ·Đ<sup>1</sup> Ñ,ĐμÑ€Đ<sup>1</sup>/<sub>4</sub>Đ<sup>3</sup>/<sub>4</sub>Đ<sup>1</sup>/<sub>4</sub>ĐμÑ,Ñ€ Beurer FT60  
1 500.00 Đ ÑfĐ±.

[\[ĐŸĐ<sup>3</sup>/<sub>4</sub>Đ<sup>1</sup>Ñ€Đ<sup>3</sup>/<sub>4</sub>Đ±Đ<sup>1</sup>/<sub>2</sub>ĐμĐμ...\]](#)



ĐœĐμĐ<sup>1</sup>Đ, Ñ†Đ, Đ<sup>1</sup>/<sub>2</sub>Ñ·Đ°Đ, Đμ Đ¿Ñ€Đ, Đ±Đ<sup>3</sup>/<sub>4</sub>Ñ€Ñ· AnD  
ĐœĐμÑ€Đ<sup>1</sup>/<sub>4</sub>Đ<sup>3</sup>/<sub>4</sub>Đ<sup>1</sup>/<sub>4</sub>ĐμÑ,Ñ€Ñ· DT 510  
300.00 Đ ÑfĐ±.

[\[ĐŸĐ<sup>3</sup>/<sub>4</sub>Đ<sup>1</sup>Ñ€Đ<sup>3</sup>/<sub>4</sub>Đ±Đ<sup>1</sup>/<sub>2</sub>ĐμĐμ...\]](#)

- « « Đ<sup>1</sup>/<sub>2</sub>Đ°Ñ†Đ°Đ »Đ<sup>3</sup>/<sub>4</sub>
- « ĐŸÑ€ĐμĐ<sup>1</sup>Ñ·Đ<sup>1</sup>ÑfÑ%Đ°Ñ•
- 1
- 2
- 3
- 4
- [ĐjĐ»ĐμĐ<sup>1</sup>ÑfÑŽÑ%Đ°Ñ• »](#)
- [Đ<sup>1</sup>Đ°Đ<sup>3</sup>/<sub>4</sub>Đ<sup>1</sup>/<sub>2</sub>ĐμÑ† » »](#)

Đ ĐμĐ·ÑfĐ»ÑCÑ,Đ°Ñ,Ñ· 1 - 30 Đ,Đ· 108